

L Number	Hits	Search Text	DB	Time stamp
1	0	6408179.pn	USPAT; US-PGPUB; EPO	2004/04/18 12:20
2	1	6408179.pn.	USPAT; US-PGPUB; EPO	2004/04/18 12:21
-	1	6223290.pn. and code\$	USPAT; US-PGPUB	2004/03/17 13:29
-	1	"9832265"	USPAT; US-PGPUB; EPO	2004/03/17 14:27
-	126	713/151.ccls. and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/14 12:58
-	205	control adj code same modem and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 14:56
-	2	control adj code same authentic\$ and control adj code same modem and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 09:55
-	472	control same power same frequency same time adj slot and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 15:02
-	104	modem and control same power same frequency same time adj slot and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 15:02
-	28	modem same control same power same frequency same time adj slot and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 15:03
-	0	modem same control adj code same power same frequency same time adj slot and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 15:03
-	27	modem same code same power same frequency same time adj slot and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 15:04
-	2	transmission adj parameter\$ same power same frequency same time adj slot and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 15:10
-	9864547	encrypt\$ same data same control arj code@ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 15:11
-	309778	encrypt\$ same data same control arj code and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 15:11
-	9571	encrypt\$ same data same control arj code same decrypt\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 15:44
-	13372	encrypt\$ same data same control ard code same decrypt\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 15:44
-	18	encrypt\$ same data same control adj code same decrypt\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 15:48
-	0	tranceiver same authentication adj code and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 15:48
-	25	modem same authentication adj code and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 15:56
-	9	713/\$.ccls. and compare same code\$ same violation and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 16:09
-	39	713/\$.ccls. and compare same violation and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 16:11
-	740	713/\$.ccls. and compare same authent\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 16:11

-	14	713/\$.ccls. and modem same compare same authent\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 16:11
-	0	713/\$.ccls. and transciever same compare same authent\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 16:12
-	5	713/\$.ccls. and transceiver same compare same authent\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 16:14
-	0	generate adj3 hidden adj2 authentication and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 16:14
-	0	generate adj3 hidden adj3 authentication and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 16:14
-	0	generate adj3 hidden adj3 authenticat\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 16:15
-	11	hidden adj3 authenticat\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 16:16
-	33	generate same authentication same key same received adj4 data and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 16:18
-	10	generate same authentication adj3 key same received adj4 data and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 16:31
-	12525	phone same control and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 16:32
-	77	phone same control adj code and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/17 16:32
-	6145	instruction\$ same modem and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 09:56
-	398	transfer same instruction\$ same modem and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 09:56
-	18254	713/\$.ccls.ctransfer same instruction\$ same modem and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 09:56
-	16	713/\$.ccls. and transfer same instruction\$ same modem and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 09:57
-	10	receive\$ adj2 instruction\$ adj2 modem and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 10:06
-	53	compare same authentic\$ same instruction\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 10:11
-	5158624	authentic\$ adj3 instruction\$ adj3 modem @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 10:12
-	0	authentic\$ adj3 instruction\$ adj3 modem and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 10:12
-	0	authenticate adj3 (code or instruction\$ or program or direction) adj4 modem and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 10:13
-	13	authenticate same (code or instruction\$ or program or direction) adj4 modem and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 10:16
-	0	soft adj modem adj protection and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 10:16
-	4	soft adj modem same protection and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 10:17
-	252	hardware adj key and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 10:17

-	8	modem same hardware adj key and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 10:34
-	30	remote adj4 pc adj4 control and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 10:49
-	9869789	remote adj4 pc adj4 control and authenticat\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 10:37
-	3	remote adj4 pc adj4 control and authenticat\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 10:37
-	99	remote adj4 modem adj4 control and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 10:49
-	71	remote adj2 modem adj4 control and @ad<20010709	USPAT; US-PGPUB; EPO	2004/03/18 13:45
-	0	09901547.ap.	USPAT; US-PGPUB; EPO	2004/03/18 13:45
-	0	9901547.ap.	USPAT; US-PGPUB; EPO	2004/03/18 13:46
-	0	09901520.ap.	USPAT; US-PGPUB; EPO	2004/03/18 13:46
-	0	09901503.ap.	USPAT; US-PGPUB; EPO	2004/03/18 13:46
-	0	09901503.as.	USPAT; US-PGPUB; EPO	2004/03/18 13:46
-	0	"09901503"	USPAT; US-PGPUB; EPO	2004/03/18 13:46
-	1	"9901503"	USPAT; US-PGPUB; EPO	2004/03/18 14:46
-	17	"secure repository" and "private key"	USPAT; US-PGPUB; EPO	2004/03/18 14:46
-	90	713/151.ccls. and authentica\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/14 12:58
-	75	713/151.ccls. and hardware and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/14 12:59
-	22	713/151.ccls. and physical adj layer and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/14 13:00
-	0	713/151.ccls. and physical adj layer adj hardware and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/14 13:00
-	22	713/151.ccls. and physical adj layer and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/14 15:50
-	43	713/151.ccls. and modem and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 12:45
-	25	modem same compare same authenticat\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 12:53
-	22	(transmitter) same compare same authenticat\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 12:54
-	3	(transmitter) adj5 compare same authenticat\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 12:54
-	1	(cell) adj5 compare same authenticat\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 12:57

-	0	modem adj4 check adj sum same prohibit and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 12:58
-	0	modem adj4 check adj sum and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 12:58
-	54	modem same check adj sum and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 12:58
-	0	modem same check adj sum same security and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 12:59
-	54	modem same check adj sum and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 12:59
-	20	modem with check adj sum and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 13:54
-	638	modem same encrypt\$ same (control or instruction or code) and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 13:54
-	135	713/\$.ccls. and modem same encrypt\$ same (control or instruction or code) and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 13:55
-	57	713/\$.ccls. and modem with encrypt\$ same (control or instruction or code) and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 14:05
-	51	713/\$.ccls. and modem same secure adj communication\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 14:05
-	10	713/\$.ccls. and modem same secure adj communication\$ same encrypt\$ same decrypt\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 14:15
-	26	modem same secure adj communication\$ same encrypt\$ same decrypt\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 14:20
-	76	download same control adj codes and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/15 14:21
-	14	download adj4 control adj codes and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 09:32
-	3	hidden with check adj sum and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 09:35
-	19	hidden with hash and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:21
-	939	unused with bus and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:21
-	0	hid\$ with unused with bus and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:27
-	4843	out-of-band and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:27
-	323	out-of-band same (hash checksum check adj sum code) and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:28
-	16	out-of-band adj4 (hash checksum check adj sum code) and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:34
-	0	unused adj portion adj of adj bus and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:34
-	2	unused adj portion adj bus and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:35
-	0	hide with check adj sum and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:36

-	0	hide adj4 check adj sum and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:36
-	0	hide adj4 hash and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:36
-	165	encrypt adj4 hash and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:43
-	1	modem same encrypt adj4 hash and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:43
-	2	modem same authentication same hidden and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:44
-	0	modem same authent and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:55
-	872	modem same authent\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:55
-	869	modem same authentic\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:56
-	808	modem same authenticat\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 10:57
-	92	modem adj3 authenticat\$ and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 11:01
-	5163348	transfer same unused same busand @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 11:01
-	350	transfer same unused same bus and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 11:01
-	15	transfer adj4 unused adj4 bus and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 11:04
-	71969	ssl modem and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 11:04
-	44	ssl same modem and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 11:05
-	12	modem same decrypt same DES and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 11:06
-	109	program same decrypt same DES and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 11:23
-	0	control adj code same decrypt same DES and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 11:23
-	8	control adj code same decrypt and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 13:03
-	141	receive adj control adj codes and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 13:15
-	0	receive adj control adj codes same (modem or internet or wireless) and @ad<20010709	USPAT; US-PGPUB; EPO	2004/04/16 13:15